

Errore  
code:2  
msg:mysql\_connect() [function.mysql-connect]: Access denied for user 'misterj'@'localhost' (using  
password: YES)  
riga:90:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Could not connect to server  
riga:91:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:session\_start() [function.session-start]: Cannot send session cookie - headers already sent by  
(output started at C:\Inetpub\webs\www.tarzaland.it\site\src\core\error.php:5)  
riga:25:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\session.php"Errore  
code:2  
msg:session\_start() [function.session-start]: Cannot send session cache limiter - headers already sent  
(output started at C:\Inetpub\webs\www.tarzaland.it\site\src\core\error.php:5)  
riga:25:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\session.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: select id from toc where name= 'home'  
riga:124:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_fetch\_array(): supplied argument is not a valid MySQL result resource  
riga:169:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: select t.name, c.title from toc as t inner join content\_it as c on t.id = c.id\_toc  
where t.type='label'  
riga:124:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_fetch\_array(): supplied argument is not a valid MySQL result resource  
riga:169:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php" Errore  
code:8  
msg:Undefined property: PublicPageProfile::\$cnote  
riga:9:"C:\Inetpub\webs\www.tarzaland.it\site\public\header.php"" /> Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: select id from toc where name= 'home'  
riga:124:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_fetch\_array(): supplied argument is not a valid MySQL result resource  
riga:169:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: select id from toc where name= 'root'  
riga:124:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_fetch\_array(): supplied argument is not a valid MySQL result resource  
riga:169:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\Inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"

code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT c.abstract, c.title, t.id, t.note, t.name, t.parent\_id, t.mdate, t.status, t.type,  
t.propagable\_flags AS flags FROM toc AS t INNER JOIN content\_it as c ON t.id = c.id\_toc WHERE t.status > 0 AND  
LENGTH(c.title)>1 AND (t.parent\_id= OR t.type IN ('news') OR t.propagable\_flags LIKE('%@topbox@%')) AND t.type in  
( 'page','links','press','news') ORDER BY t.parent\_id, t.position , title ASC  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT c.abstract, c.title, t.id, t.note, t.name, t.parent\_id, t.mdate, t.status, t.type,  
t.propagable\_flags AS flags FROM toc AS t INNER JOIN content\_it as c ON t.id = c.id\_toc WHERE t.status > 0 AND  
LENGTH(c.title)>1 AND (t.parent\_id= OR t.type IN ('news') OR t.propagable\_flags LIKE('%@topbox@%')) AND t.type in  
( 'page','links','press','news') ORDER BY t.parent\_id, t.position , title ASC  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_fetch\_array(): supplied argument is not a valid MySQL result resource  
riga:169:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT t.propagable\_flags AS flags, t.parent\_id FROM toc as t WHERE t.id=  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT c.abstract, c.title, t.id, t.note, t.name, t.parent\_id, t.mdate, t.status, t.type,  
t.propagable\_flags AS flags FROM toc AS t INNER JOIN content\_it as c ON t.id = c.id\_toc WHERE t.status > 0 AND  
LENGTH(c.title)>1 AND (t.parent\_id=) AND t.type in ('news') ORDER BY t.parent\_id, t.position , title ASC  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT c.abstract, c.title, t.id, t.note, t.name, t.parent\_id, t.mdate, t.status, t.type,  
t.propagable\_flags AS flags FROM toc AS t INNER JOIN content\_it as c ON t.id = c.id\_toc WHERE t.status > 0 AND  
LENGTH(c.title)>1 AND (t.parent\_id=) AND t.type in ('news') ORDER BY t.parent\_id, t.position , title ASC  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_fetch\_array(): supplied argument is not a valid MySQL result resource  
riga:169:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT m.\*, rel.id1, rel.position AS pos from media AS m INNER JOIN relation AS rel ON rel.id2 =  
m.id AND rel.type = 'toc\_image' ORDER by rel.position  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore

code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT m.\*, rel.id1, rel.position AS pos from media AS m INNER JOIN relation AS rel ON rel.id2 =  
m.id AND rel.type = 'toc\_file' ORDER by rel.position  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"

flash\_required

Errore  
code:8  
msg:Undefined offset: 0  
riga:68:"C:\inetpub\webs\www.tarzaland.it\site\template\empty.php"Errore  
code:2  
msg:mysql\_query(): supplied  
argument is not a valid MySQL-Link  
resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied  
argument is not a valid MySQL-Link  
resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT t.id,  
t.type, t.parent\_id, c.title, c.abstract,  
u.company FROM toc AS t LEFT JOIN  
content\_it as c ON t.id=c.id\_toc LEFT  
JOIN user as u ON t.id=u.id\_toc  
WHERE t.parent\_id= AND  
LENGTH(c.title)>0 AND type IN  
( 'page' ) AND t.status>0 ORDER BY  
t.type, t.position, c.title, t.label, t.id  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied  
argument is not a valid MySQL result  
resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"

Errore  
code:2  
msg:mysql\_query(): supplied argument is not a valid MySQL-Link resource  
riga:122:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_error(): supplied argument is not a valid MySQL-Link resource  
riga:123:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:1024  
msg:Query failed: SQL: SELECT t.id, t.type, t.parent\_id, c.title, c.abstract, u.company FROM toc AS t LEFT JOIN content\_it as c ON t.id=c.id\_toc LEFT  
JOIN user as u ON t.id=u.id\_toc WHERE t.parent\_id= AND LENGTH(c.title)>0 AND type IN ( 'press','page' ) AND t.status>0 ORDER BY t.type, t.position,  
c.title, t.label, t.id  
riga:124:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"Errore  
code:2  
msg:mysql\_num\_rows(): supplied argument is not a valid MySQL result resource  
riga:185:"C:\inetpub\webs\www.tarzaland.it\site\src\core\mysql.php"

footer

